



### CHANGING THE FACE OF INTERIOR DESIGN

1. "Plays's approach allows me to start out from a comfortable position by choosing out of a wide base assortment and

then on top giving me the option to make my own signature with it. Clients are often amazed to see that the atmosphere of a room can be changed completely by simply choosing a different laying pattern or design." JEROEN WARNAAR, ARCHITECT

- 2. "Plays" elevated LVT flooring to a true piece of art, offering a fresh take on floors." PAUL BRUMWELL, DESIGNER
- 3. "I love the way "Plays" inspires me with a wide range of suggested patterns in a wide scale of colour and design combinations. I now have a unique premium floor, professionally installed and no fuss." "Plays" CONSUMER




- 4. "The versality of "Plays" allows me to combine wood, stone and geometric forms in an innovative laying pattern. This way, I put my personal stamp on the project." ARNIE VAN DUN, INTERIOR ARCHITECT
- 5. "The laying pattern you design is perhaps one of the best ways that you can achieve a one-of-a-kind creation. The formats can be combined in an infinite number of ways, which makes them extremely versatile tool for architects & designers. "Plays" Team already pre-combined a wide and unique selection of patterns and combinations to inspire you." PHILIP DE RUYSSCHER, DESIGN MANAGER
  - 6. "This will bring "Plays" on the radar of architects for commercial projects." SALES DIRECTOR

#### CONCEPT

Plays is Wesflex Groups's leading high quality vinyl flooring brand, for residential and commercial use. We take pride in having innovation at the heart, and as such we are constantly pushing the envelope in a variety of the ways, from creativity and ease of use to durability and sustainability, through the use of patented technology.

We are taking our mission one step further by introducing "Plays": a creative studio where you can combine and unique format with a selection of stone and wood texture from classically elegant to wildly dynamic, all the signature "Plays" quality.

A COMPREHENSIVE SYSTEM OF BUILDING BLOCKS



### RECTANGULARS

The first group of special formats are the rectangulars: a group of planks based on a width that is always exactly 4 or 8 times the height of the plank. Additionally, every rectangular plank is exactly half, double or a third of the size of the other planks, ensuring a maximum and compatibility to create harmonious flooring patterns.

The second group of special formats are the geometrics: three shapes that interlock at oblique angles to create a family of intricate and daring kaleidoscopic patterns.



# "Easily the boldest and most powerful flooring pattern in our collection"





## 5550 TRIANGLES LUXURY



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	54880 Triangle	392x452.64 mm	2.5 mm	17	1.51
	54991 Triangle	392x452.64 mm	2.5 mm	17	1.51
	24235 Triangle	392x452.64 mm	2.5 mm	17	1.51









## 5600 TRIANGLES PLAYFUL



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	24235 Triangle	392x452.64 mm	2.5 mm	17	1.51
	54880 Triangle	392x452.64 mm	2.5 mm	17	1.51
	54991 Triangle	392x452.64 mm	2.5 mm	17	1.51





# " Combination a retro sensitivity with cutting edge angular design "






## 1045 HEXAGON RANDOM HARD

РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	46960 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46935 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46110 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46985 Hexagon	196x226.32 mm	2.5 mm	44	1.46





# " Combination a retro sensitivity with cutting edge angular design "





### 1055 HEXAGON RANDOM SOFTWOOD

\
$\rightarrow$
\ /
$\rightarrow$
$\prec$ $\succ$
\_/
/ \
$^{\prime}$

РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	46960 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46935 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46110 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	24280 Hexagon	196x226.32 mm	2.5 mm	44	1.46









### 1080 HEXAGON MOTION HARD




РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	46960 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46110 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46985 Hexagon	196x226.32 mm	2.5 mm	44	1.46











## 1085 HEXAGON MOTION SOFT



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	46960 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46935 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46110 Hexagon	196x226.32 mm	2.5 mm	44	1.46










## 1090 HEXAGON MOTION WOOD HARD



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	46960 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46985 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	24280 Hexagon	196x226.32 mm	2.5 mm	44	1.46









## 1095 HEXAGON WOOD SOFT



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	46110 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46960 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	24280 Hexagon	196x226.32 mm	2.5 mm	44	1.46









### 1105 HEXAGON WOOD



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	24280 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	24280 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	24280 Hexagon	196x226.32 mm	2.5 mm	44	1.46





# " Combination a retro sensitivity with cutting edge angular design "





## 1065 HEXAGON QUADRO



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	46960 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46935 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46110 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46985 Hexagon	196x226.32 mm	2.5 mm	44	1.46










### 1120 DIAMOND 3D CUBES SOFT



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	46960 Diamond	196x113.16 mm	2.5 mm	132	1.46
	24280 Diamond	196x113.16 mm	2.5 mm	132	1.46
•	24117 Diamond	196x113.16 mm	2.5 mm	132	1.46










### 1130 DIAMOND ORIGAMI



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	24280 Diamond	196x113.16 mm	2.5 mm	132	1.46
•	54991 Diamond	196x113.16 mm	2.5 mm	132	1.46
•	24117 Diamond	196x113.16 mm	2.5 mm	132	1.46









### 1150 HONEY COMB HARD



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	24280 Diamond	196x113.16 mm	2.5 mm	132	1.46
	46960 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46985 Hexagon	196x226.32 mm	2.5 mm	44	1.46











### 1155 HONEY COMB SOFT



РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
•	46960 Diamond	196x113.16 mm	2.5 mm	132	1.46
	46935 Hexagon	196x226.32 mm	2.5 mm	44	1.46
	46110 Hexagon	196x226.32 mm	2.5 mm	44	1.46









### 1010 STAGGERED COLUMNS

	_
-	
	_
	_
-	$\perp$
	<b>⊐</b>

РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
4	22229 Medium Plank	196x784 mm	2.5 mm	13	2
	22229 Small Plank	65.33x261.33 mm	2.5 mm	116	1.98
	22229 Slim Plank	65.33x522.67 mm	2.5 mm	58	1.98
	22229 Shot Plank	130.67x522.67 mm	2.5 mm	29	1.98
10 3 7 70 70	Joint Strip 395S Dark Grey	4x914 mm	2.0 mm	30	









### 1015 STAGGERED COLUMNS

_	
	$\vdash$
-	Ш

РНОТО	MODEL	DIMENSION	THICKNESS	PCS/BOX	m <sup>2</sup> /BOX
	22937 Medium Plank	196x784 mm	2.5 mm	13	2
	22937 Small Plank	65.33x261.33 mm	2.5 mm	116	1.98
	22937 Slim Plank	65.33x522.67 mm	2.5 mm	58	1.98
	22937 Shot Plank	130.67x522.67 mm	2.5 mm	29	1.98
AND THE STATE OF	Joint Strip 395S Dark Grey	4x914 mm	2.0 mm	30	



### Installation

Plays floors are installed using the traditional Dryback installation. The special formats are glued with a special adhesive to a thoroughly prepared surface that is hard, dry and flawless . For detailed installation, Please contact Wesflex Company Limited.

#### Maintenance

Appropriate maintenance procedures will help to preserve the appearance and will extend the life of a Plays design floor. The Frequency of maintenance will spend on the amount and type traffic, degree soiling, the floor color and type. Plays design floor have a Protectonite-PU lacquer on top of the resistant wear layer.

This lacquer protects against soiling and makes overall maintenance easier. Protectonite also Make any post-treatment with protection polish unnecessary. For more information, Please contact Wesflex Company Limited.



### Technical properties























#### PRODUCT INFORMATION | INFORMATION PRODUIT | PRODUKTDATEN | PRODUCTINFORMATIE

Level of use   Classe d'usage   Einstufung   Gebruiksklasse	EN ISO 10874	23 - 33 - 42
Total thickness   Epaisseur totale   Gesamtstärke   Totale dikte	EN ISO 24346	2,5 mm (100 mils)
Wear layer I Couche d'usure I Nutzschicht I Slijtlaag	EN ISO 24340	0,55 mm (22 mils)
Wear layer PUR treatment I Traitement polyurethane I Oberflächenvergütung I PUR slijtlaag behandeling		Protectonite®
Total weight g/m <sup>2</sup>   Poids total g/m <sup>2</sup>   Flachengewicht g/m <sup>2</sup>   Total gewicht g/m <sup>2</sup>	EN ISO 23997	4059

#### SIZE & PACKING | DIMENSIONS & EMBALLAGE | ABMESSUNG & VERPACKUNG | FORMAAT & VERPAKKING

Medium plank	EN ISO 24342	784x196mm	Box medium plank
Slim plank	EN ISO 24342	522.67x65.33mm	Box slim plank
Short plank	EN ISO 24342	522.67x130.67mm	Box short plank
Small plank	EN ISO 24342	261.33x65.33mm	Box small plank
chevron	EN ISO 24342	522.67x92.40mm	Box chevron
Hexagon	EN ISO 24342	226.32x196mm	Box hexagon
Diamond	EN ISO 24342	113.16x196mm	Box diamond
Triangle	EN ISO 24342	452.64x392mm	Box triangle







Wesflex



Line ID: Wesflex



WesflexProducts



VINYL FLOORING

Wesflex Co.,Ltd

2510,2512,2514 Ladprao Road, Khlong Chan, Bangkapi Bangkok Thailand 10240

Tel. 02-376-0944-6 FAX. 02-376-0947 Email : contact@wesflexplays.com www.wesflexplays.com